



## OUTDOOR LIGHTING CHECKLIST

DATE \_\_\_\_\_

ADDRESS \_\_\_\_\_

PERMIT NUMBER \_\_\_\_\_

OWNER: \_\_\_\_\_

Certification received as an original, signed statement from lighting contractor/ registered design professional stating all requirements of outdoor lighting listed in the zoning ordinance (see below) have been satisfied. *(Required prior to release of plans and building permit.)*

City of Boerne Zoning Ordinance

ARTICLE III

GENERAL PROHIBITIONS AND REQUIREMENTS

SECTION 2. ILLUMINATION OF USES

All lighting fixtures designed or placed so as to illuminate any portion of a site shall meet the following requirements:

- A. A light pole and fixture shall be no taller than 30 feet.
- B. The light source shall be completely concealed within an opaque housing and shall not be visible from any street right-of-way.
- C. Only incandescent, fluorescent, or high pressure sodium may be used. The same type must be used for the same or similar types of lighting on any one site throughout any master-planned development.
- D. Fixtures must be designed and mounted in such a manner that the cone of light does not cross any property line of site.
- E. No up lighting is allowed.
- F. Lumens per acre \_\_\_\_\_.
- G. All light fixtures must be full cut off.

\_\_\_\_\_  
DATE

\_\_\_\_\_  
REGISTERED DESIGN PROFESSIONAL